## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.

-				
				,

### THE WILLIAM C. SCHWARTZ NURSERIES LANGASTER, PENNA.

PRICE LIST #10 YEAR 1931 Terms and Conditions of Sale. Prices. All prices quoted are T.C.b. Lancaster, la. Packing. All stock packed or bore free. . Cash with order or cash & fore shapment. · FEB 7 FLOWERING SHRUBS Bushy Plant: True Linearies of Agriculture. Name & size Price Lon Amphore fruiticose Indigo Bush canbussus sures, delder by 3-4ft high .35 3-41t. high . 30 Berberis thunberga, Japan barbarry Spirea anthony variner, .ink 18-84ins. . 25 18-441nc. Berberis thunberga atropurpurea, Sviroz billarui, Finb New red leaven burberry. 35 aniros billardi alta, 15-18ins. Whit Buddleia, Futterfly husir 3...it. .30 . 35 2-3ft. Spirea frostell, Fink Calycarthus floridus, Sweet Shrub 2-3ft. .35 2-3ft. .50 Spires prunifolia, Bridlewreath .35 Caragana arborescens, Pea Bush 3-41t. 3-4f5. .35 Smirea ralisifolia, Cornus Lutea, Yellow Dr. Dogwood 3.41 . .35 .35 Crirco therberri, Cornus stolonferia, Rod Branches 3ft. .35 Spirea vanhoutte oft. .35 Gydonia Japonica, Japaneso Luince 18-24ins. Stuphandra flexuosa, Deutzia crenata, Roce Colorec 2-3it, 5-411 .35 Symphoricarpos ricemosus, Growberry Doutzia gracilio, White awarf .35 18-24ins. bymyhoricarpos vultaris, Coralberry . 35 2-3ft. Noutsia lemoine, White semi-dwarf Syringa, French L lacs all colors 2-3ft. . 35 Euonymus altus, Cork Barked 1.00 Bit. 1.00 Eringa vulgarie, Purple Lilac 2-3f. Forsythia fortunoi, Goldon Boll · 3-4ft. Tamerix africana Forsythia virdissina 3ft. 3-41t. Ren Weigela Waigelia eve rethke, 2-3ft. .50 Hydrangea P. G. Weigelia rosea, Rose colored 2ft. 2-3ft. Hydranges Snow Hill Weigela variegata, Hypericum aurea, Et. Johns Wart 2-3ft. . 35 Virurnum opulus, Granberry Ligustrum ibota, Ibota Frivet 31t. 2-3ft. .25 Viburnum opulus nana, Dwarf Ligustrum regal, Regal Frives 9-13ins. 2-31t. CALIFORNIA PRIVET HEDGE FLANTS Ligustrum california japanose . 25 I o years old 5 to 15 branches 18.26ins, Ligustrum vulgaria, Muropean Privet 18-3/ins. 2.00 perioo 15.00 periooo 18-24ing. .25 2-oft. 2.50 per100 20.00 per1000 Ligustrum macropyllu., Crinklai leaf 3-4ft.3yr 3.50 per100 30.00 per1000 .35 2-3ft. Ligustrum aurea, Golden leaf Privet MVBRGREEU EUONYMUS Dueny fieldgrown plants Frie Mack, E. Jeponica, Green leaved 18-24ins. 010 Lonceria fragranticalata, 12-18ins. 3ft. E. japunica auton, Yellow & groen Lenceria morrowi, homeneuckle Eush 8-10ins. .20 B. japonios v riegata, Gray leaf 2-3ft. .35 Lonceria tartarian, Pank 10-1:\_ns. 2-3ft. , 35 Philadelphus auros, Goldon mockorange E. colorata 4yr, .35 ,35 E. vegetus Ayr. l2ins. I. vegatus variegata,

4yr.

E. carrierei 4yr.

L. seiboldi 4yr.

.35

.35

Philadelphus, white Icckorange

. 75

Philadelphus virginal, New

Rose hugonis, Single yellow

3-4ft.

2yr. old

# TFL WILLIA C. COMMUNICATION CLASSICAL CANDAL CANAL CAN

	HANN FAMILY LAL		
Botanious Irmo G Achillos agentus,	louing ir an ar	0010r	Price Lac.
Achilled agerants;	i'r gres	Y-1107	.10
			- 1, 0
និត្តកាសាក្រសាល់ ១០០៤០.ឧកម៉ូន	Rein Car of		. 1 %
Aquada me coromités el	विका	1	0 \
a tare norm	. ) [1 y ] . ' h	-11-6 1	• 16
Alysean constitue compro		The same for the same of the s	• ± 5
Andrea italia	4431 (2.1202)		· \
Agraphent a dock.cris Agraphent a dock.cris Agraphent corollis al Algebra collettle collete Anti-relitatio Anti-relitation Anti-relitation Anti-relitation	Tallow the terms		• = 0
Andile te formote		Caraca	. 7 ()
Land State of the state of the		a color	1 ()
Angelogia sybolet Shelia nigina Angelia formosa Angelia tuberosa	Nack or an		.10
An colo formos	and I and	Tirk	.10 .10
Annasira tuberosa	intro-cally have	Tink	.10
			9 00 W
Bacarnia corrata	Flore Lo	White	• 1 0
Agriceia nyoring Bodornia coretta Carterion Carterione allionei Cholone terroyi Chryschilenam ala ke		dided	.10
Os muric holitima	Saraila	Flue	.10
Chairen and allionai	Tellliower	Y:110W	. 10
Utalona terrayl	In other lands	.6	.20
Chrysenthenum ale be	intore juley	White	• 12.5
			.10
Convellant: ".r;ali.	illreadello Valley	/nite	• C
Gordan, in district love Ornselleds a pen equiv	162-5, 25	Yellion	.10
Ordrenlace a sem e-wive	u, hen a Shicks		.10
Indinimina bellamen.	Lance product	Lagrat Fluo	. 1.0
Delphini am collaiseu.		Lerk Flue	• 1.0
Iniphinuma hybrata	9015 - Crol	Various	.10
Deighi, itu dila asa		1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
Disiblac beroutus	NAME OF WELLS	Carmine	7 (
Clarth: & Goltaiden		Various	.1C
lientkus plumarias Dicartra speciabilis		Tink	. 40
Pigitalis purpurus	Face of our	Various	.20
Supererum inaceri	A STATE OF THE P.		.10
Galllarela sanguines	blacket Flower	37 C 70 1.100	. 10
		Orimson	. 72 (
Prisonnile acutifolia	louble allysprosti	Lilac. ross	.10
Cyrrolille pasionless		001	. 1. 0
ស៊ីវដ្ឋស្រីស និក្សាស្រ	l mon Holins sir	Yello:	. 10
log ovie maircualin	ร็ก และ เลียงสงห์	7.7.1	.10
			0
Anthopia verie		-75 ~	. 30
linium perena.	Lat	41.19	• 1
minium persona clova		-1, ± + c	.10
Trap is the the type Lythia		12. 12. 0 U.S	. 30
	stings Serot.	, v <	.10
Myosot. I de desa	10 pm 4-30 - 10 f	1 5.0	.20
	Crimital Toloy	A	
lariver so		ink	. 20
Pantatoria Lypricia Phyrocepholiote	Sverf Talex	fank bonist	
		i rio f	
Tabra Physolar Scenchoti		in	.10
That we do the present to be			. 20
First arian	lain Lag	2.1 ( 3 1 1 )	.10
		1. 1	.10
Ri prokis projuma		Plan an	. 1.0
Taymus valgario	101 17. V2.10	Lilan	. 20
Shabiols	owreth three.	1 4n h	. 20
Saponoria ocympidec		Fina	. I C
Sedum arre	3011.0012	Yollow	. 10
Segum ad Dug	Stokeoroj	anito	.20
Sodum proutabile	Live-for-ever	Fink	. 10
Stati o lebafolia	bon Lovan or	Juli	.10
Turish caxifraga	Tunito Finh	Fink	.10
Veronica spiceta	Spaciall	1.1 uu	.10 .
Tueca filamentour	Jommon Yucca	White	. 25

## THE WILLIAM G. SCHVARTZ NURSERIES LAMGASTER, PRIMIA.

and the state of t	***
ORNAMENTAL TRUES Name & Size Podew did in	Gorna: Iris, wil wower
Name & Sizi Filip A(-A	/
#ganger: Bloom Trevel mails	00.00 F.r 1.60
Aren teva opta, +1.75	Fig. Mich Mar.
Arer try appearance for	THE AND DOWN IN THE PROPERTY.
Acharatanar , herizy Erbis	.10 esc1.40 jos ko (16.00 jos 100
6.00	kilosoo jar ihe
falling, Figure 5.00	Tribe Pauldacorus
6-77t. Bet 12 2 2 1 Halo, Out-leal Weeping	To lice fig. or matarcide into
Betalog alba j mualo, Sat-leal Wespins	. ขอ คลงโ. จุล. เปิ รุคที่ 10
Sufficient 3.00 Detula papyrufera, Senoe Eurok	• 50 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
ne toga jajyun sia, oknov bir m	Large bire Account to seen
ELICET. 3.00 Ceralle buegas, Uncoelle Tree	Laire bire Rott
1.25	Togtivo Laxina, Larly White
taidh. nfeile Genoid agustemaid, Neo Bud	niulis furerus, Harly Pink Mus, Fuseust, Harly Dark Red
E-Aff. 1.50 Corner flore a, whate hogwood	Grandiflora rubra, Late Red
Cornes Siera a, Mate ogwood	HISTORE LEEL,
3. · · · · · · · · · · · · · · · · · · ·	<u>a vij?o 4~ Ene</u>
Gornus Elevica in ra, Fink Logueca Gr. Fla 3.00	Sandjaras of Fransplants
Oreta ou exponsutha, Hauthorn	For 100 sec 1000
1.00	alies balada, sals malis
Table collection from rate running to the collection	Syr. Al 1012168 15.00 125.00 Cryptomeric & onic elegans
3 <u>f</u> t. 500	3yr. 2 10-18ins. 13.00
Figus : . ; shault, Wesping Beach	The contract of the contract o
5.00 Tagus syl, 2.3 rowlylla, Fernicai Basch	10. U 10. 00 10 10 10 10 10 10 10 10 10 10 10 10
1	
Principle calculate, dite Ash	10.00 10.00
1.50	Ent. The Color, Storoich Sunicer Apr. 1 Gagine. 10:00
(N) ditection true continue, honey locust	Pico opo liu, Nortal epruce
0.00	$c_{\rm con} = c_{\rm con} \epsilon_{\rm con} \epsilon_$
loris Stroply, was post list in	gor generalitée doct le ou
Aught, The Later Tulis Free Land Williams	2)r. 1-7111, 1.00 9.00
	lie a flor, white by mes
dring floratoring desperate Cort	U 1 4
	Pina magaza, ango 1220 ranggara, angaza, ango 25.00
Majus roguers 1-48, Delich Double Fi	zyr. 2-3in- 2,00 18.00
1.00	Fines orivestria, fortch rans
roplan lo design	g, e. a. (-1. ang. 3.60 25.00
6-624.	yr. 1-81.4 11.(0
5-1ft.	Oldr. or Lat 11: Createl filte
France jubiand, function to the distance	7)r.12 12-10-11. Nr. 10 180.00
Sueff. 2.th	AN mana tribe trendeler.
Salin di do Lui, Pana Pana ya Alimo	Y we are large to the well as
ista Salim Sabylon to make the plant	The grant factor of the state o
j., 6.€4.,	in significant and in the current
Soring a control of the Pick	Jak han di Line. 2 Cha e ago man de l'est doute.
- •	
Ultras varioto a , - more p	
Z-10ft, 15	
WEN 16	like Calada
<u> </u>	
ager are the class of the	eb accomos especial locate
Withtria hower to a signification in the	Cortision
žyeli gritus (10 Dietoria simonia since, Galasto (40)	
Smear reit	for only ea.OJ
3.6	If wanted by larer boat please
Fuckamus venetus: c e huonymus	and .ZU cears exite to pay sections
Washing day with ball of	A STATE OF S

\*

#### THE WILLIAM C. SCHMARTE HURSERING LANCASTER, PLANTA.

```
Specimen Evilarumus Ballud & Eurlagend Specimen Evilarums
Nama & siza Price Unch Sear & Siza Fried
 Specimen LVN (GTEU) State of ruring post operation Section and Name of Size Frace and Name of Size Frace and Sprace arburaites for his line, Fyrant at Fisch pumpers, Solution and Sprace 12-15ins.
     2-3it.
                         1.25
                                                        lu.leima.
     IS-dinst
                         1.00
                                                        1 - 21115.
     12-leins.
                         . 30
                                                       . pungens, Ko. J
                                                                                      5,000,00
 Arkorvitas gloic.a, Wilte
                                                       10-11inc.
15-18inc.
                                                                               . . ! .
     12-15ins. .60
15-18ins. 1.00
                                                  Final migra, Ametrica Final 18084ins. 1885
Arbarvitae ollwin eriana, Toidlumb
10-18ins. .00
Arbarvitae lutur, Flabley Gollen
18-18ins. 7.15
                                                       S-Dit.
                                                                                .00
                                                       3-4ft.
                                                  Pinus banksiana, Jack Pins
                                                       Soundt.
2 - 276. 2.50
Arbunites most incidenta-
    2 - 016.
                                                       1-11-
                                                  Figur Trobuc, This File
Arlonyital varuena sure
                                                       3-3 -it.
                                                                              J.00
                                                  Finus cylvestris, Docich Fine
                                                      3-45t.
0.5ft.
   15-7111... 2.00
                                                                              3.00
Arromited dougles standing 3.00
                                                                               4.50
                                                  Pinus uughus, sugho Pine
Arbotvitce america.
                                                      18-34in. . wire 3.00
                                                  Onamaecyparis lausoniana glouca
Arborvines stundich
                                                      74-30ins. 3.00
17-15ins. 1.00
séricine. 3.35 le-15ine.
Biota conservite, Criental Arborvites Retinoupore piederia
                                                                              1.00
    18-7:ine. .50
                                                       a_~3fts
    18-0911
8-0f5
                                                       3-3-ft.
                        1.50
                                                  Retinospora pisforia aur a
Biota collegioua, o Inen Biota
16- Fibra 1.00
Orygiomeria japonica lobbi
                                                       3.3-ft.
15.18inc.
                                                 18-lenc. 2.00
Abiec consoler, 7116 fir
Abics postinats, cilver fir
                                                  Notine spor obtusa sit.
                                                       cft.
                                                                              2.00
                                                  Retinos cra plunesa, Flume Cyprons
10.81te. 1.50
Abice balsems, stleam fir
                                                  16-18ins. 1.00
3-2gft. 1.50
Retinoapora pluner sures, Golden
    l.-1 ins. .50
Prondetsuga douglas, Jouglas fir
    18148.
                       1.00
                                                      27-30ins. 2.50
    54-800: c.
                                                  Retinospera plus se aures nana
                        2.00
                        2.75
                                                                             1.0
                                                       121110.
Juniper hisormica, Erish Juniper
                                                  Retinos era aruntrona, ope bypress
15-18ins. 1.50
                       1.00
    lft.
Pr-laine.
                                                  Motimospum and press solyhéria
15-18ins. 3.45
Juniger horizonfolia, Grosping
 21-301.0.500000 2.25
Juniper Street, bully Grook Juniper 18ines
                                                    1 - 15ins.
lôine.
Juniper přimzec
                                                  Taxas iscouta nena, Deirí Yez
                                                     12-10ing.
Juniper pfilexer

18-18ins. Spread .60

15-18ins. Spread 1.00

2-20ft. Spread 2.50
.5-3ft. Spread 3.90

Juniper community warring Golden.
30ins. Spread 0.00

Juniper waskegan, Specificate
25-3ft. Spread 2.50

Juniper waskegan, Specificate
                                                  laxes brovifolia na na
                                                    1.-15ins.
                                                     18-18in.,
                                                 Taxas vachingtomi aureu, Golden
18-15ins. 1.75
                                                 Doxwood suffruiteess, Dwarf Caglish
                                                      S-Cinc.
Juniper stricks ... | ha-vario, ata
                                                             ASALDAS
Fibes exceles, Lorsey Lyruce
18-2/ins. 1.25
2-2 ft., 1.75
                                                 Azalon amorna, Rosy-purple
                                                 10-12ins. 1.00
Asolea hinodegiri, Frijnt rea
8-10ins.
     2 - 3 1 - 1
                        2,25
                                                     3-10inc.
                                                                             1.00
                       3,00
                                                 Azalea hinameyo, Pink
Picceoniciants, Maist Syruca
                                                                              1.00
     3-2516.
                   WRITH FOR SHIGIAL PRIORS ON THE OR HUNDRED LOSS.
```